



**MATERIAL SAFETY DATA SHEET**

**UNIVERSEAL STONE FOAM AEROSOL (WATER BASED)**

**Section I - Product Identity**

Product Name	Universeal Stone Foam (Enhancer)
Chemical Family	Silicone Emulsion
CAS Registry #	Mixture
Emergency Infotrac Number	352-323-3500
Date Prepared	May 1, 2008
Prepared By	Universeal Products Agencies Ltd.

**Section II - Hazardous Components/Composition Information**

CHEMICAL NAME	CAS #	WEIGHT (%)	OSHA PEL TWA	ACGIH PEL TWA	NOTES
n-Butane	106-97-8	9-15%	800 ppm	800 ppm	
Propane	74-98-6	9-15%	Not established	Not established	

**Section III - Physical and Chemical Properties**

Boiling Point	Approximately 212 °F	Specific Gravity (H <sub>2</sub> O=1)	1.0
Vapor Pressure	N.A.	Vapor Density (Air=1)	N.A.
Percent Volatile By Weight	81%	Evaporation Rate (BuAc=1)	N.A.
Solubility in Water	Miscible	Volatile Organic Content	3%
Appearance and Odor	White Liquid		

**Section IV - Firefighting Measures**

Flash Point (Method Used)	<140°F estimated (Closed Cup)			
Autoignition Temperature	Not established.			
Explosive Limits	Lower	0%	Upper	6.1%
Extinguishing Media	Alcohol foam, CO <sub>2</sub> , Dry Chemical, Water Fog.			
Special Firefighting Procedures	Water spray may be ineffective, but water spray must be used to cool containers exposed to heat or fire to prevent pressure build-up.			
Unusual Fire and Explosion Hazard	Closed containers may explode due to the pressure build-up from extreme heat or fire. Aerosol spray is extremely flammable.			
Combustion Products	Carbon dioxide, carbon monoxide, trace amounts of hydrogen flouride.			
Firefighting Equipment	Self-contained breathing apparatus should be used if product is involved in fire.			

## Hazard Ratings

NFPA Rating (based on Standard 704)	(4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant)
Health	1
Flammability	2

### Section V - Stability & Reactivity

Stability	Stable	XX	Unstable	
Conditions to Avoid	Elevated temperatures (>110°F) and Freezing.			
Incompatibilities	Oxidizers, metalchlorides and acids.			
Hazardous Decomposition or By-Products	May produce CO, HF.			
Hazardous Polymerization	May Occur		May Not Occur	XX

### Section VI - Health Hazard Data

Primary Routes of Entry	Inhalation	Yes	Dermal	Yes	Ingestion	Yes
Acute Health Hazard	N.D.					
Chronic Health Hazard	N.D.					
Carcinogenity	N.D.					
NTP?	No	IARC Monograph?	No	OSHA Regulated?	No	
Signs and Symptoms of Exposure						
Skin Contact	May be harmful.					
Eye Contact	Causes irritation.					
Ingestion	May be harmful if swallowed.					
Inhalation	May be harmful if inhaled.					
Medical Condition Generally Aggravated by Exposure	No information available.					
Emergency First Aid Procedures						
Eyes	Flush eyes with water for at least 15 minutes. Get medical attention.					
Skin	Wash with soap and water.					
Ingestion	Do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconcious person. Call a physician.					
Inhalation	Immediately remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Please note: Symptoms may be delayed; prompt medical attention may be required. Call a physician.					

### Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case the Material is Released or Spilled	Soak up with sawdust, sand, oil dry or other absorbent material.
Waste Disposal Method	As in accordance with EPA and local regulations.
Storage Requirements	Do not store above 120°F (49°C). Do not store or use near heat, sparks or flame.
KEEP OUT OF REACH OF CHILDREN.	

### Section VIII - Special Precautions

Storage and Handling Conditions	Store at temperatures between 40°F to 95°F. Store in a tightly closed container. Store in a well ventilated area. Store away from oxidizing agents, sources of heat, direct sunlight or rain. No smoking in area of storage. Use soft water (greater than 25 ppm total hardness but less than 80 ppm total hardness) when preparing treating solution. <b>***Agitate contents of container before using***</b>
---------------------------------	---

## Section IX - Exposure Controls / Personal Protection

Engineering Controls	Recommend an approved mechanical particulate filter to remove any airborne overspray. In restricted areas with poor ventilation, use a NIOSH-approved Organic Cartridge Respirator. For concentrations above the PEL, use a positive air-supplied respirator.
Eye Protection	Use chemical safety goggles and/or a full face shield where splashing is possible. Contact lenses should not be worn.
Skin Protection	Test data indicates the best protection is provided by neoprene, nitrile and natural rubber gloves.
Ventilation	ALL APPLICATION AREAS SHOULD BE ADEQUATELY VENTILATED IN ORDER TO KEEP THE ITEMS IN SECTION 2 BELOW THEIR EXPOSURE LIMITS.
Respiration	In restricted areas with poor ventilation, use a NIOSH-approved Organic Cartridge Respirator.

## Section X - SARA Title III

SECTION 313 SUPPLIER NOTIFICATION	This product contains the following toxic chemicals subject to the reporting requirements of SECTION 331 of the EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 and of 40 CFR 371.	
CAS #	Chemical Name	Percent by Weight
111-76-2	2-Butoxyethanol	2%
67-63-0	Isopropyl Alcohol	2%
THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.		

## Section XI Transportation Information

<b>Department of Transportation (DOT) Requirements</b>	
Proper Shipping Name	Consumer Commodity
Hazard Class	ORM-D
Subsidiary Hazard Class	None

<b>IATA</b>			
Proper Shipping Name	Aerosols, Flammable		
Hazard Class	2.1		
UN Number	UN1950	Packaging Exceptions	LTD. QTY.
Labels Required	2.1		

<b>IMDG</b>			
Proper Shipping Name	Aerosols		
Hazard Class	2.1		
UN Number	UN1950	Packaging Exceptions	LTD. QTY.
Labels Required	None		
Transport Category	2		

## Registration Information

Canadian DSL Listed
---------------------

**THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE.  
NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED.**



---

TO THE CUSTOMERS OF UNIVERSEAL PRODUCTS AGENCIES, LTD

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, express or implied:

Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use. The user assumes all risk and liability whatsoever in connection therewith.

No statement or recommendation contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacturer. Since the manufacturer of the product described in this technical data sheet has no means of controlling the final use of the product by the consumer for the user, it is the responsibility of the immediate purchaser and any intermediate seller or sellers to inform the user of the purposes for which the product may be fit and suitable and of the properties of the product, including the precautionary measures which must be taken in order to ensure the safety of the user and of other third persons and property.

No statement made herein shall be taken as an authorization or inducement to practice any patented invention without appropriate license.